

NORTH FRONT RANGE WATER QUALITY PLANNING ASSOCIATION 257 Johnstown Center Dr.; Unit 206 Johnstown, CO 80534 970-587-8872 - http://www.nfrwqpa.org

208 Areawide Water Quality Management Plan Amendment New Lift Station or Capacity Increase (60-Day Public Notice Required)

To meet the plan amendments minimum requirements, all items are required and must be included to be accepted for review and considered for approval. Submitted references to other materials is not acceptable, i.e., refer to.., or see..

A. Project and System Info	rmation.					
Applicant / Entity						
Representative Name / Title	e					
Project Title						
Address						
Email						
Phone						
County						
B. Project Design Company	Information.					
Design Company Name						
Design Engineer				CO License Num	ber	
Address						
Address						
Email						
Phone				Date of <i>J</i>	Application:	
C. Is the Lift Station Proje approved Utility Plans her					Plan? Acces	IS NFRWQPA
Yes:	e, <u>inces.//intw</u>				No:	
Yes:If Yes, no 208 Plan Amendment rIf No, is Lift Station capacity less thanYes:			inche requireur			
50,000gpd or serve less than 667 people If Yes, proceed with the application.						
If No, and the Lift Station capacity is greater than 50,000gpd and serves more than 667 people per day, the Agency's Utility Plan must be updated to include the Lift Station project before Site Application Approval or 208 Plan Amendment approval.						
D. Current Wastewater Ut						
WUSA Boundary currently	recognized and	d approved:		osed Lift Station		
	WUSA map: https://nfrwqpa.colorado .gov/agency-service-area-			Maximum Month Average Hydraulic Capacity in million gallons per day		lew:
.gov/agency-service-area-			millio			Current:
maps			(MGD))	C	apacity Increase:
Latitude & Longitude of			Peak Hour Hydraulic		lew:	
Lift Station				Capacity in million gallons per day (MGD)		Current:
			Suttons per day (MOD)		C	apacity Increase:
County			Organic Capacity (lbs.		Ν	lew:
		E		/day)	C	Current:
					C	apacity Increase:
The current WUSA or proposed V types of water rights within the W crosshatched boundaries overlay	USA boundary. Th	his may be demonstrate				

WUSA Population Information Current WUSA Population and Projections:		Current Single Family Equivalents (SFEs) and Projections:				
Current population:		Curr	Current SFEs:			
5 Years:			5 Years:			
10 Years:			10 Years:			
15 Years:			15 Years:			
20 Years:			20 Years:			
Population Source:		SFEs Source/Factor(s):				
Include a map illustrating the new lift station Sources of information: 1. NFRWQPA Agency Wastewater Utility Se 2. NFRWQPA GIS Database; <u>https://data-r</u>	ervice Area Map	s; <u>https://nfrwqpa.colorado</u>	-			
Lift Station projected loads.						
Current or anticipated lift station Flow load		urrent or anticipated lift s	tation Organic lo	ads (lbs. BOD5/day):		
Design Capacity (mgd)	0	rganic Design Capacity				
Current Flow Load	C	urrent Organic Load				
5 Year Flow Load	5	Year Organic Load				
10 Year Flow Load	10) Year Organic Load				
15 Year Flow Load	1!	5 Year Organic Load				
20 Year Flow Load	20) Year Organic Load				
Year at 80% Design Capacity		ear at 80% Design				
	Сара					
Year at 95% Design Capacity	acity Year at 95% Design Capacity					
Receiving Agency WWTF projected loads.	-	·				
Current or anticipated WWTF Flow loads (m	urrent or anticipated WW1	F Organic loads	(lbs. BOD5/day):			
Design Capacity (mgd)	Organic Design Capac					
Current Flow Load	Current Organic Load					
5 Year Flow Load						
10 Year Flow Load	5 Year Organic Load					
15 Year Flow Load	10 Year Organic Load					
		5 Year Organic Load				
20 Year Flow Load		O Year Organic Load				
Year at 80% Design Capacity	-	ear at 80% Design apacity				
Year at 95% Design Capacity		ear at 95% Design apacity				
Project Agency Capacity.						
Current WWTF load & lift station load:		WWTF Approved Capac	ity:			
Maximum Month Average		Maximum Month Average				
Hydraulic Capacity in million gallons per day		Hydraulic Capacity in		uc.		
(MGD)	MC	GD million gallons per day (MGD)		MO		
Peak Hour Hydraulic	MC					
Capacity in million gallons per day (MGD)	///(C	D Peak Hour Hydraulic Capa million gallons per day (N				
Organic Capacity (lbs.				MO		
BOD ₅ /day)						
Organic Capacity (lbs. BOD ₅ /day) lbs. BOD ₅ /day						
E. Lift Station Location Map and Land Use, Appendix C.						
Please attach a map of the new lift station location and current and or proposed land use zoning maps of the WUSA and Lift Station Project Site.						
Sources of information:						
	CD http://www	w mrlc q_{0}				
 USGS' National Land Cover Dataset (NL) 	$CD, \underline{n}(D, n)$	v.mitc.gov/				

- under the "Land Surface" data category for any area of interest across the countryCounty and city land and zoning maps.

NFRWQPA Plan Amendment-New Lift Station or Capacity Increase - Final - Protected.docx

F. Floodplain (FEMA) or other natural Hazards, Appendix D.					
Is the proposed lift station in a 100-year floodplain or other natural hazard areas? Evidence that the proposed site and facility operations will not be adversely affected by floodplain or other natural hazards. Where such hazards are identified at the selected site, the report shall describe means of mitigating the hazard.					
C Land Ournarship Appa					
G. Land Ownership, Appe	ing control of the site for the project	life or showing the ability of the en	tity to acquire the site and		
use it for the project life.		the of showing the upikey of the en			
H. Right of Way Easement	s Appendix F.				
	ng control of the site or right-of-way	easements for the project life or sh	owing the ability of the entity		
to acquire the site or right	-of-way and use it for the project life.				
Site Application approval.					
I. Regional Agreement/Co	nsolidation - Agency Intergovernme	ental Agreement(s) (IGAs), letters,	or statements, Appendix G.		
feasibility of providing service feasible. These IGAs, lett	a letter from all existing sanitation d vice to the lift station's service area a ers, or statements ensure long term er treatment facility (5-mile radius) co	nd the justification for not connectine 208 planning collaboration between	ng to an existing facility where en agencies concerning WUSA		
over lift stations.	,				
	he agency or receiving agency has o				
Receiving Agency Capacit	y Certification	Current agency/system WWTF a	pproved design capacity		
Applicant Legal Representative (e.g.,		Maximum Month Average WWTF Hydraulic Capacity			
Public Works Director)		in million gallons per day	MGD		
Typed Name:		(MGD)			
Signature:		Peak Hour WWTF Hydraulic Capacity in million gallons per day (MGD)	MGD		
Date:		Organic Capacity (lbs. BOD5/day) - WWTF Only	lbs. BOD₅/day		
K. Receiving Agency Certification from Regulation 22 Site Application, Appendix H. Confirmation, in writing, from the wastewater treatment entity that it:					
(A) Will treat the wastewa		y that it:			
 (A) With theat the wastewater. (B) Is not presently receiving wastes in excess of its design capacity as defined in its site location approval and/or discharge permit, or is under construction, or will be in a phased construction of new or expanded facilities, and will have the necessary capacity to treat the projected discharge from the new or expanded lift station. Projections of flow and loading to the treatment plant over the period during which build out of the service area will occur or twenty years, whichever is less as well as current and future plant capacity information must be provided to demonstrate the plan for maintaining adequate capacity to treat. Any proposed treatment plant phased construction must be shown in the Water Quality 					
 Management Plan, or by appropriate planning and engineering studies. (C) Has not been in violation of any effluent limitations in its discharge permit for the last two years and is not operating under a Notice of Violation and/or Cease and Desist Order from the Division resulting from discharge permit violations. Alternatively, if there have been effluent violations or if the treatment plant is operating under a Notice of Violation and/or Cease and Desist Order from the Division will evaluate the situation and the treatment entities' proposed corrective measures to achieve consistent compliance and determine if approval should be granted, granted with conditions, or denied. 					
L. Receiving Agency Discharge Downstream Distances; NFRWQPA GIS Database; https://data-nfrwqpa.hub.arcgis.com/.					
The applicant must provide the receiving agency's WWTF discharge relationship to other water and wastewater treatment plants in the area by providing a 1-mile radius map to all drinking water wells and sources and a 5-mile radius map to all wastewater facilities. Providing the distances to the nearest water supply intake, name of supply and the next nearest discharge point, name of the facility, to the proposed WWTF discharge point. The applicant must determine if the new or additional lift station discharge will affect the other discharges on the stream segment and any drinking water supplies on the segment.					

NFRWQPA Plan Amendment-New Lift Station or Capacity Increase - Final - Protected.docx

Downstream distance from the discharge point to the nearest domestic water supply intake? Name of supply? Address of supply?							
Please include a 1-mile radius map of domestic water supplies, Appendix I.							
Distance: Name of Supply:							
Address of Supply:	Address of Supply:						
Downstream Distance from the					d discha	arge? Name of the user?	? Address of the user?
Please include a 5-mile radius Distance:	map or p	ermitted dischar	ges, Appendix	(J.			
Name of User:							
Address of User:							
Will the additional discharge or user? No:		Station affect of	ther discharge	rs on th	ne strea	am segment? Name of t	he user? Address of the
Distance:							
Name of User:							
Address of User:							
If yes, explain:							
M. Receiving Agency WWTF [Dischargi	ing Stroom Sogm	ont WID & ED		ificatio	ups and Assossments	
The Stream Segment and EPA							tor Quality Monitoring
and Assessment Report here:	Classific	acions may be ob		101510115	Sectio	n 505(D) milegraleu wa	ter Quality Monitoring
https://cdphe.colorado.gov/r	rulemakir	ng-boards-and-co	mmissions/wa	ter-qua	ality-co	ntrol-commission/wate	er-quality-control-
commission							
Stream Segment WID:							
Stream Segment WID Description	n:						
Stream Segment IR (Acres/Miles:		
Aquatic	1				Recreational Tier:		
	Assessme	ent	Analyte			Category / List	Priority
Aquatic Life Use Recreation							
Agriculture							
Water Supply							
Wetlands							
Aquatic Life Use							
N. Receiving Agency WWTF D	ischargir	ng Stream Segme	ent TMDLs.				
The Stream Segment TMDLs may			ions Regulatio	on #93 a	and the	303(d) list of impaired	waters here:
<u>https://cdphe.colorado.gov/ir</u> Stream Segment WID:	npaired-	waters					
Stream Segment WID Description	n٠						
Affected Use		Analyte		Category / List		Priority	
					5		
O. Receiving Agency CDPS Pe	rmit, Pri	mary Effluent Li	imits (PELs),	or Notio	ce of A	uthorization (NOA) rec	uirements and
constraints, Appendix K.	. ,	• • •					
CDPS permit or PELs descript	tion and	information:	_				
CDPS #: Expiration Date:							
PELs #:		A	Expira	tion Dat	te:		- d- d- [7]
CDPS Status:		Active:				Administratively Exter	nded: 🛄
NOA #: Other CDPS or DELs info:							
Other CDPS or PELs info:							

d) Will the Lift Station create any difficulties in meeting the water quality limits of the CDPS, PELs, or NOA for the permitted agency?
Explain:
P. Responsible Parties.
What agency or entity is financially responsible for the construction of the new Lift Station?
What agency or entity has the financial responsibility for owning and long-term operating expense of the new Lift Station?
what agency of chercy has the financial responsibility for owning and tong term operating expense of the new Ene station.
What agency or entity has the financial responsibility for managing and operating expense of the new Lift Station after
construction?
Q. Management Capabilities - Intergovernmental Agreement(s) (IGAs), Appendix L.
Management capabilities for controlling the wastewater loadings within the proposed lift station capacity limitations, i.e.,
user contracts, operating agreements, pretreatment requirements, and/or the management capabilities to expand the
facilities as needed (subject to the appropriate, future review and decision procedures). Include intergovernmental agency agreement(s) with agencies agreeing to the lift station, including collection systems to be
served by the lift station, and capacity sharing agreements. Including contracts to pay for acceptable waste treatment. IGAs ma
be simple nonlegal agreements that document agencies agree to the lift station, or agree to be served by the lift station. These
IGAs ensure long term 208 planning collaboration between agencies concerning WUSA boundaries and consolidation WWTFs (5-mil radius).
R. Financial 20-Year Capabilities, Appendix M.
Provide a 20-year financial budget developed to provide necessary capital and continued operation, maintenance, capital
improvement projects, and replacement through the life of the project.
S. Emergency Operations Plan, Appendix N.
Demonstration of the owner's capability to operate and maintain the facility, which shall include an emergency operations plan The emergency operations plan shall outline procedures to minimize the possibility of sanitary sewer overflows and health hazard
to the public and operations personnel. The emergency operations plan shall include information on, but not be limited to telemetry
backup power supply identification, portable emergency pumping equipment, emergency storage/overflow protection, and operator
emergency response time.
T. Lift Station Implementation plan, schedule, and costs.
Project Schedule
Cost Estimates
NFRWQPA Plan Amendment-New Lift Station or Capacity Increase - Final - Protected.docx

How is the projected funded?

U. Current Lift Station Condition Assessment, Appendix O.

If a current lift station is being utilized for a capacity increase, please provide a recent condition assessment.

V. 208 Areawide Water Quality Management Plan Considerations.

For lift station 208 Plan amendment projects in the region, indicate how this project aligns with the Association's current 208 Areawide Water Quality Management Plan as a regional solution to optimize wastewater utility service area collection systems to ensure present and future wastewater needs are met economically and with a focus on protecting, maintaining, or restoring water quality.

W. Agency Point Source Inventory Data, Appendix P.

Include the Agency's updated Point Source Inventory Data summary for adoption into the 208 AWQMP. Examples may be viewed on the NFRWQPA website, https://nfrwqpa.colorado.gov/agency-point-source-data-inventory.

X. Responsible Party Certific	ation.					
System Name						
Project Title						
County						
Receiving Treatment Entity Information – Certification of Available Treatment Capacity						
Receiving Treatment Entity		Receiving Treatm	ent Plant			
CDPS Permit No.		Permit Capacity	Permit Capacity			
Site Location Approval No. (Appendix Q)		Site Location App Capacity	Site Location Approved Capacity			
Proposed lift station capacit	ty impacts on receiving treatme	ent plant				
Proposed maximum month av	erage hydraulic capacity:			MGE)	
Proposed peak hour hydraulic	capacity:			MGE)	
Proposed maximum month average organic loading capacity: Ibs BO				0D₅/day		
Proposed treatment works will	Proposed treatment works will increase the receiving treatment plant's hydraulic loading to: (% of total plant capacity)					
Proposed treatment works will	l increase the receiving treatmen	plant's organic loading to	:	(% of to	otal plant capacity)	
Receiving wastewater treatment capacity information in accordance with existing site approval and discharge permit						
defined in the above listed site	I certify that the receiving treatment plant is not presently receiving wastes in excess of the design capacity as defined in the above listed site location approval and discharge permit and has the capacity to treat the projected discharge from the proposed lift station (initial in box).					
OR						
I certify that the receiving treatment plant does not currently have the capacity to serve the proposed project flows but is under construction, or will be in a phased construction of new or expanded facilities, and will have the necessary capacity to treat the projected discharge from the proposed lift station (initial in box).						
Estimated date capacity will be available:						
I certify that the receiving treatment entity information presented above is correct and that the treatment plant is currently capable (or will be capable) of treating the wastewater produced by the proposed lift station.						
Receiving Treatment Entity Representative						
Position/Title:	Typed Name: Signature:				Date:	
Email:	Phone:					

NOTE	: NFRWOPA wi	Recommendation of Revie Il route and acquire the reau	ew Agencies ired signatures, not the applicant.			
Signature of Management Agency (Applicant), if different from other entities listed below						
Role	Date	Typed Name / Agency	Signature			
		.,,				
			Recommend Approval? Yes No			
Signature of County Plan	ning Departmer	nt				
Role	Date	Typed Name / Agency	Signature			
Note	Date	Typed Name / Agency	Jigilatare			
			Recommend Approval? Yes No			
1 Adjacent Signature e	f City or Town	could be multiple adjacent be	Indaries of WUSA Amendment being proposed			
needed for approval	in City of Town,	could be multiple adjacent bou	indaries of wosa amendment being proposed			
Role	Date	Typed Name / Agency	Signature			
Role	Date	Typed Name / Agency	Signature			
2 Adia and Cimetana			Recommend Approval? Yes No			
2. Adjacent Signature o for approval	of City of Town,	could be multiple adjacent bou	indaries of WUSA Amendment being proposed needed			
Role	Date	Typed Name / Agency	Signature			
		.,,				
			Recommend Approval? Yes No			
	of City or Town,	could be multiple adjacent bou	Indaries of WUSA Amendment being proposed needed			
for approval						
Role	Date	Typed Name / Agency	Signature			
			Decommond America 12 Vice			
1 Adiacont Signatura a	f City or Town	could be multiple adjacent be	Recommend Approval? Yes No			
4. Adjacent Signature o for approval	or City of Town,	could be multiple adjacent bou	indaries of WUSA Amendment being proposed needed			
Role	Date	Typed Name / Agency	Signature			
		, , , , , , , , , , , , , , , , , , ,				
			Recommend Approval? Yes No			
Signature of Local Health	Authority					
Role	Date	Typed Name / Agency	Signature			
			Recommend Approval? Yes No			
			n, Watershed Authority, etc., if the facility is			
		nission Watershed Protection Co				
Role	Date	Typed Name / Agency	Signature			
			Recommend Approval? Yes No			
		uality Planning Association				
	re is obtained,	including the Association's reco	mmendation, after the public hearing decision of the			
208 plan amendment.						
Role	Date	Typed Name / Agency	Signature			
			Recommend Approval? Yes I No I			

Review Agency Comments:	

Appendix A Current WUSA Map recognized and approved by NFRWQPA

Appendix B

Map Identifying Stream Segment WID, WWTF, discharge location, and Lift Station

Appendix C Land use and Zoning Map of WUSA and Lift Station Project Site

Appendix D FEMA Flood Plain Maps identifying the proposed Lift Station site

Appendix E Land Ownership Documentation

Appendix F Right of Way Easements

Appendix G

Regional Agreement/Consolidation - Intergovernmental Agreements (IGAs), Letters, or Statements

Appendix H

Receiving Agency Certification from Regulation 22 Site Application (must be signed)

Appendix I 1-mile Radius Map Identifying Drinking Water wells or water sources

Appendix J 5-mile Radius Map Identifying other permitted discharges

Appendix K CDPS Permit, Primary Effluent Limits (PELs), or Notice of Authorization (NOA) requirements and constraints

Appendix L

Management Capabilities - Intergovernmental Agreements (IGAs), Letters, or Statements

Appendix M

20-Year Financial Budget and Capabilities, Maintenance and Operations for the life of project

Appendix N Emergency Operations Plan

Appendix O Current Lift Station Condition Assessment

Appendix P Agency Point Source Inventory Data

Appendix Q Wastewater Treatment Facility Site Application Approval - Regulation 22